Accumark Labs

CERTIFICATE OF ANALYSIS

Alpha
200 spectrum center drive Irvine CA

SAMPLE NAME:	Oxytocin
SAMPLE CODE:	ZVNY-S3ML
RECEIVED DATE:	06/30/2026
PUBLISHED DATE:	07/07/2026



DECLARED IDENTITY	Oxytocin
MATRIX TYPE:	PEPTIDE
SAMPLE NAME:	Oxytocin
SAMPLE SIZE:	10.0 mg
Nº LOT CODE:	OX102025

10.89 mg
Total Quantity

99.035%
Total Blend Purity

Sample	Test	Specification	Result	Status
Oxytocin	IDENTITY	Oxytocin	Oxytocin	CONFORMS
Oxytocin	QUANTITY	MEASURE	10.89 mg	MEASURED
Oxytocin	PURITY	> 98.0%	99.035%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
07/07/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
07/07/2026

ACCUMARKLABS.COM
ZVNY-S3ML
07/07/2026

Accumark Labs

CERTIFICATE OF ANALYSIS

Alpha
200 spectrum center drive Irvine CA

SAMPLE NAME: Oxytocin
SAMPLE CODE: ZVNY-S3ML
RECEIVED DATE: 06/30/2026
PUBLISHED DATE: 07/07/2026

Sample	Test	Specification	Result	Status
Oxytocin	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Oxytocin	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

Anthony Burke PhD
Lab Manager
07/07/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
07/07/2026

ACCUMARKLABS.COM
ZVNY-S3ML
07/07/2026